OncoTargets and Therapy

Dovepress
open access to scientific and medical research

Open Access Full Text Article

CORRIGENDUM

ITGA2 Overexpression Promotes Esophageal Squamous Cell Carcinoma Aggression via FAK/AKT Signaling Pathway [Corrigendum]

Huang W, Zhu J, Shi H, Wu Q, Zhang C. *Onco Targets Ther*. 2021;14:3583–3596.

The authors have advised there is an error in Figure 2E on page 3589. The Y axis "Migrative Cells per field" is shown as 0, 20, 40, 60, 80, and 100 and should read 0, 50, 100, 150 and 200. The correct Figure 2 is as follows.

The authors apologize for this error and advise it does not affect the results of the paper.

Received: 22 September 2022
Accepted: 22 September 2022
Published: 27 September 2022



Figure 2 Silencing ITGA2 inhibits ESCC cells aggressiveness. (**A**–**E**) TE-1 and TE-10 cells were stably transfected with sh-Control or sh-ITGA2. Flow cytometric analysis of apoptosis (**A**), CCK8 assay (**B**), colony formation assay (**C**), wound healing assay (**D**), invasion and migration assay (**E**). For (**E**), displayed invasion and migration images are based on Transwell experiment. Sh-ITGA2 group and sh-Control group were compared. Each bar displays the mean±SD of 3 independent experiments as analyzed by paired two-tailed students, t-test. *p<0.05; **p<0.01; ***p<0.001.